





APPLICATION



Recommended P.C. Board Layout

SCALE 6:1



PTSHSM-5 **XX** - **D** - **XX** - **XX** - **XX** - **X** - **XX** - **X** - **LF**
(A) **(B)** **(C)** **(D)** **(E)** **(F)** **(G)** **(H)** **(I)**

- A. Pins Per Row
 - 5 through 40
- B. Row Specification
 - D= Dual Row
- C. Pin Options
 - See Pin Options below
- D. Plating Options
 - See Plating Options below
- E. Alignment Pin
 - Leave blank if not needed
 - AP= With
- F. Locking Clip
 - Leave blank if not needed
 - C= With
- G. Packing Information
 - TR= Tape and Reel
 - TB= Tube
- H. Pad
 - P= Plastic
 - O= No Pad
 - If left blank, packaging at MLE's discretion
 - Pad may be metal, mylar or plastic
- I. Lead Free

Mates with:
PSSHS
PSSHSM

Plating options	
G	-10µ Gold on Contact Area/ Flash on Tail
T	-Matte Tin all Over
GT	-10µ Gold on Contact Area/ Matte Tin on Tail
H	-30µ Gold on Contact Area/ Matte Tin on Tail
F	-Gold Flash over Entire Pin
FT	- Gold Flash on Contact Area/ Matte Tin on Tail


Pin Options	
Body Height	
.224	5.70mm 02
.287	7.30mm 06
.354	9.00mm 10
.433	11.00mm 14

Body Height + .016 [0.40] = Overall Height


Specifications:
 Current Rating: 1.0 Ampere
 Insulation Resistance: 1000M Ohms Min.
 Dielectric Withstanding: 300V AC
 Contact Resistance: 20M Ohms Max.
 Operation Temperature: -40°C to +105°C
 Max. Process Temperature
 Peak: 260°C up to 10 secs.
 Process: 230°C up to 60 secs.
 Wave: 260°C up to 6 secs.
 Reflow: 260°C up to 10 secs.
 Manual Solder: 350°C up to 5 secs.

Materials:
 Contact Material: Phosphor Bronze
 Insulator Material: Nylon 6T
 Plating: Au or Sn over 50µ" (1.27) Ni
 Tails may be clipped to achieve specific dimensions.


Products cut to specific sizes are uncancellable/ nonreturnable.
 Parts are subject to change without notice.



Locking Clip Option (-C)



Alignment Pin Option (-AP)



PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF Major League Electronics. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF Major League Electronics IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: ONE DECIMALS ±.100 TWO DECIMALS ±.010 THREE DECIMALS ±.005 FOUR DECIMALS ±.002		<table border="1"> <tr> <th>NAME</th> <th>DATE</th> </tr> <tr> <td>EW</td> <td>05/05/16</td> </tr> <tr> <td>GWE</td> <td>05/05/16</td> </tr> </table>	NAME	DATE	EW	05/05/16	GWE	05/05/16									
NAME	DATE																
EW	05/05/16																
GWE	05/05/16																
<table border="1"> <tr> <th>INTERPRET GEOMETRIC TOLERANCING PER:</th> <th>ADDRESS:</th> </tr> <tr> <td>MATERIAL</td> <td>2533 Centennial Blvd, Jeffersonville, IN 47130</td> </tr> <tr> <td>FINISH</td> <td>Phone: 812-670-4174 Fax: 812-670-4175</td> </tr> <tr> <td></td> <td>E-Mail: mle@mlerlectronics.com</td> </tr> </table>	INTERPRET GEOMETRIC TOLERANCING PER:	ADDRESS:	MATERIAL	2533 Centennial Blvd, Jeffersonville, IN 47130	FINISH	Phone: 812-670-4174 Fax: 812-670-4175		E-Mail: mle@mlerlectronics.com	<table border="1"> <tr> <td colspan="2">TITLE: PTSHSM-5 SERIES</td> </tr> <tr> <td>SIZE</td> <td>DWG. NO.</td> </tr> <tr> <td>C</td> <td></td> </tr> <tr> <td>SCALE 8:1</td> <td>SHEET 1 OF 1</td> </tr> </table>	TITLE: PTSHSM-5 SERIES		SIZE	DWG. NO.	C		SCALE 8:1	SHEET 1 OF 1
INTERPRET GEOMETRIC TOLERANCING PER:	ADDRESS:																
MATERIAL	2533 Centennial Blvd, Jeffersonville, IN 47130																
FINISH	Phone: 812-670-4174 Fax: 812-670-4175																
	E-Mail: mle@mlerlectronics.com																
TITLE: PTSHSM-5 SERIES																	
SIZE	DWG. NO.																
C																	
SCALE 8:1	SHEET 1 OF 1																
<table border="1"> <tr> <th>NEXT ASSY</th> <th>USED ON</th> </tr> <tr> <td></td> <td></td> </tr> </table>	NEXT ASSY	USED ON			<table border="1"> <tr> <th>APPLICATION</th> <th>DO NOT SCALE DRAWING</th> </tr> <tr> <td></td> <td></td> </tr> </table>	APPLICATION	DO NOT SCALE DRAWING			<table border="1"> <tr> <th>REV</th> <th>DATE</th> </tr> <tr> <td>I</td> <td></td> </tr> </table>	REV	DATE	I				
NEXT ASSY	USED ON																
APPLICATION	DO NOT SCALE DRAWING																
REV	DATE																
I																	